



FSC® 100% Certified Bamboo Soybond; PlybooPure

Plyboo • PlybooStrand • Neopolitan • PlybooSquared • PlybooSport • PlybooPure
PlybooFit • PlybooQuiet • Soybond

Coconut • Sugar • Palm Woven • Deco Palm



Innovations in Bamboo + Palm

photo: Paul Rivera - archphoto

Smith & Fong Co. was the first to introduce laminated bamboo products to the United States in 1989 and has since been a leader in the development of bamboo as an alternative building resource. Plyboo plywood, flooring, veneers, and paneling products are made entirely from moso bamboo, a rapidly maturing species that is most appropriate for construction purposes.

In 2008, Smith & Fong, in collaboration with the farmers from its bamboo forestry resource, secured certification according to the standards of the Forest Stewardship Council™ (FSC), enabling the company to be the first FSC 100% certified moso bamboo forest in the world. Plyboo has a large inventory of FSC 100% plywood, flooring and veneers.

All Plyboo products are performance and emissions tested by independent, third-party labs located in the United States. Smith & Fong's Soybond and PlybooPure formaldehyde-free products have both passed California Section 01350, the most stringent emissions standards currently available. Covering 36 different VOCs (volatile organic compounds), it forms the basis for such certifications as SCS/FloorScore and SCS/Indoor Advantage Gold.

Smith & Fong introduced Durapalm in 2000 with a line of palm-inspired flooring products. A decade later the line has evolved into two species of coconut palm and sugar palm; it now includes flooring, plywood, paneling, and veneer products. Most of these products are made with no added formaldehyde.

Backed by over 20 years' experience and a firm commitment to a sustainable future, Smith & Fong continues to be the most respected name in bamboo and palm laminated products.

For samples, visit www.plyboodirect.com or e-mail sales@plyboo.com



All certified products are linked to a license number representing an FSC-certified third-party that ensures product compliance to FSC standards. Please look for FSC certified products.

PlybooPure products have been certified by SCS Certification Systems to meet the indoor air quality standards of FloorScore®



Cert.# SCS-FS-02130
As Certified by
SCIENTIFIC CERTIFICATION SYSTEMS



SCIENTIFIC CERTIFICATION SYSTEMS
SCS-IAG-02135

PlybooPure products have been certified by SCS Certification Systems for meeting Indoor Advantage Gold™ indoor air quality standards



Innovations in Bamboo + Palm

Content

Plyboo Plywood.....3

Plyboo Flooring.....5

Durapalm Plywood.....7

Durapalm Flooring.....9

PlybooStrand.....11
(Plywood + Flooring)

Neopolitan.....13
(Plywood + Flooring)

PlybooSquared.....15
(Flooring)

Tambour + Veneer....17



475 - 6th Street
San Francisco, CA 94103
t. 415.896.0577
f. 415.896.0583



toll-free 866.835.9859



Plyboo architectural plywood

is made from 100% rapidly renewable bamboo. This plywood can be cut and sanded using conventional woodworking equipment and offers excellent dimensional stability. It can be glued or mechanically fastened using the same materials commonly used with wood.

Available in both an amber and natural light tone, Plyboo bamboo plywood is sanded to 180-grit and is an open-grained material that takes stains and finishes exceptionally well.

Plyboo Flat and Edge Grain plywood is available Soybond (no added formaldehyde) and Indoor Advantage Gold™ certified, as well as FSC Pure (100% FSC certified).



LEED® CREDITS

- IEQc4.4: Low Emitting Materials
Composite Wood and
Agrifiber Products
- MRc6: Rapidly Renewable Materials
- MRc7: Certified Wood




- 100% bamboo
- FSC Certified
- No added formaldehyde
- Passes CA Section 01350

- meets fire rating Class B (special order)
- custom lengths up to 13' (special order)
- Indoor Advantage Gold™ Certified


architectural plywood




amber edge grain




chocolate edge grain



natural edge grain



amber flat grain



natural flat grain

Plywood

1/4" x 48" x 96" (3-PLY)

BP-V1496A Amber Edge Grain
 BP-V1496N Natural Edge Grain
 BP-1496A Amber Flat Grain
 BP-1496N Natural Flat Grain

1/2" x 48" x 96" (3-PLY)

BP-V1296A Amber Edge Grain
 BP-V1296N Natural Edge Grain
 BP-1296A Amber Flat Grain
 BP-1296N Natural Flat Grain

3/4" x 48" x 96" (3-PLY)

BP-V4896A Amber Edge Grain
 BP-V4896A-C Chocolate Edge Grain
 BP-V4896N Natural Edge Grain
 BP-4896A Amber Flat Grain
 BP-4896N Natural Flat Grain

3/4" x 48" x 96" (1-PLY)

BP-S4896VA Amber Edge Grain
 BP-S4896VN Natural Edge Grain

3/4" x 30" x 120" (1-PLY)

BP-S30120VA Amber Edge Grain
 BP-S30120VN Natural Edge Grain

3/4" x 48" x 96" (4-PLY)

BP-L4896A Amber Flat Grain
 BP-L4896N Natural Flat Grain



Yucca Valley, CA | design: Blue Sky Homes, LLC
 photo: Nuvue Interactive

1" x 48" x 96" (3-PLY)

BP-V0196A Amber Edge Grain
 BP-V0196N Natural Edge Grain
 BP-0196A Amber Flat Grain
 BP-0196N Natural Flat Grain

1 1/2" x 30" x 120" (2-PLY)

BP-S1530120VA Amber Edge Grain

Edge Banding

0.6mm x 7/8" x 500' (1-PLY)

VNT-500VA Amber Edge Grain
 VNT-500VN Natural Edge Grain
 VNT-500A Amber Flat Grain
 VNT-500N Natural Flat Grain



King Dormitory, Amherst College | Amherst, MA

*Other sizes available by special order.

*For PlybooPure and FSC certified plywood specifications, add -NAUF/FSC as a suffix to each product number.

e.g.: BP-1496-NAUF/FSC

Plyboo has become the most recognizable and respected name in bamboo flooring and can be found in retail, commercial, and residential projects throughout America.

With its durability, easy installation, and good looks, Plyboo is specified for its environmental credentials and its versatility in design applications. Plyboo bamboo flooring is produced prefinished or unfinished in a natural or amber color, or three different stains (Foundation Brown, Luminous Grey, and Mountain White), and is 100% bamboo.

Plyboo Flat and Edge Grain flooring is Soybond (no added formaldehyde), FloorScore® certified, and FSC Pure (100% FSC certified).



Cert.# SCS-FS-02130
As Certified by
SCIENTIFIC CERTIFICATION SYSTEMS



The mark of
responsible forestry

LEED® CREDITS

- IEQc4.3: Low Emitting Materials
Flooring Systems
- MRc6: Rapidly Renewable Materials
- MRc7: Certified Wood




- 100% bamboo
- No added formaldehyde
- Passes CA Section 01350

- FloorScore® Certified
- FSC Certified


bamboo flooring



Amber Edge Grain




Natural Edge Grain




foundation brown



luminous grey



Amber Flat Grain



Natural Flat Grain

Edge Grain Flooring

$\frac{5}{8}$ " x 3 $\frac{5}{8}$ " x 72" (21.75 ft²/box)

FL-V5872PA-NAUF/FSC Prefinished, Amber

FL-V5872UA-NAUF/FSC Unfinished, Amber

FL-V5872PN-NAUF/FSC Prefinished, Natural

FL-V5872UN-NAUF/FSC Unfinished, Natural

FL-V5872FB-NAUF/FSC Prefinished, Foundation Brown

FL-V5872LG-NAUF/FSC Prefinished, Luminous Grey

FL-V5872MW-NAUF/FSC Prefinished, Mountain White

Flat Grain Flooring

$\frac{5}{8}$ " x 3 $\frac{5}{8}$ " x 72" (21.75 ft²/box)

FL-5872PA-NAUF/FSC Prefinished, Amber

FL-5872UA-NAUF/FSC Unfinished, Amber

FL-5872PN-NAUF/FSC Prefinished, Natural

FL-5872UN-NAUF/FSC Unfinished, Natural



National Building Museum
Washington, D.C.



Te Casan Shoe Store | New York, NY | photo: Robin Reigi

wide range of
accessories
available
visit
www.plyboo.com

PlybooSport Athletic Flooring

$\frac{3}{4}$ " x 2 $\frac{1}{4}$ " x 72" (22.5 ft²/box)

FL-V3472SFN-NAUF/FSC

Unfinished, Natural Edge Grain



Singing Hills Rec Center | Dallas, TX | photo: John Benoist

Durapalm furniture-grade palm wood is made entirely from plantation-grown coconut or sugar palm trees that are past their fruit bearing years. The 100% coconut or sugar palm sheets come in flat grain, edge grain, or end grain, and range in color from dark to medium-red mahogany.

Durapalm plywood is unique to the panel industry, both in its unconventional construction and the fact that it is made from reclaimed palms. It can be used in both commercial and residential environments for fixtures, cabinetry, and furniture applications.

Durapalm can be cut and laminated using conventional equipment and adhesives, and it will sand and finish like other panel products.


Durapalm panels are always made with no added formaldehyde.

LEED[®] CREDITS

IEQc4.4: Low Emitting Materials
Composite Wood and
Agrifiber Products
(plywood + veneer products)

- Qualifies for LEED® IEQc4.4: Low Emitting Materials
- 100% coconut or sugar palm
- No added formaldehyde
- Passes CA Section 01350
- Reclaimed agrifiber product

plywood, veneer + paneling



coconut, edge



coconut, flat



sugar, flat



sugar, end



coconut, woven



deco palm

Plywood – Coconut

PB-V3472UPN-NAUF Edge Grain

$\frac{3}{4}$ " x 30" x 72" (3-PLY)

PB-V11296UPN-NAUF Edge Grain

1" x 12" x 96" (1-PLY)

PB-3696UPN-NAUF Flat Grain

$\frac{3}{4}$ " x 36" x 96" (3-PLY)

PB-EG3472UPN-NAUF End Grain

1 $\frac{1}{16}$ " x 30" x 72" (5-PLY)

Plywood – Sugar

PB-3696UPN-SG-NAUF Flat Grain

$\frac{3}{4}$ " x 36" x 96" (3-PLY)

PB-EG3472UPN-SG-NAUF End Grain

1 $\frac{1}{16}$ " x 30" x 72" (5-PLY)

Veneer – Coconut


0.7mm x 49" x 97"

BPN-V4896UPN-NAUF Edge Grain

BPN-4896UPN-NAUF Flat Grain



Coconut Edge Grain | Perky's | Jamestown, NC
design: Miro Buzov



Coconut Flat Grain | Loft 610 | Plano, TX
photo: Twomey Concepts, LLC



Deco Palm | Orlando, FL
design: Little Diversified Architectural Consulting

Edge Banding – Coconut

2mm x $\frac{7}{8}$ " x 96"

PS-V7896UPN-NAUF Edge Grain

PS-7896UPN-NAUF Flat Grain

Paneling – Prefinished

$\frac{3}{8}$ " x 6" x 48"

WP-648PPN Palm Woven

$\frac{3}{4}$ " x 6" x 48"

SP-648PPN-SG Sugar Deco Palm

*For Palm Tambour products,
see page 18

Durapalm flooring is made entirely from reclaimed plantation-grown coconut or sugar palms that have past their fruit bearing years.

Ranging in color from dark to medium-red mahogany [coconut], or a light tan to golden brown [sugar], these durable and uniquely beautiful products are available as tongue-and-groove planks.

Durapalm flooring is made from multiple layers of palm, creating a stable, durable, and strikingly beautiful flooring product. These planks come in random lengths (between two to six feet), and are available unfinished or prefinished.

Durapalm flooring is always made with no added formaldehyde.

LEED® CREDITS

IEQc4.3: Low Emitting Materials
Flooring Systems

- Qualifies for LEED® IEQc4.3: Low Emitting Materials
- 100% coconut or sugar palm
- No added formaldehyde
- Passes CA Section 01350
- Reclaimed agrifiber product

coconut + sugar palm flooring




sugar, deco palm




coconut, edge



coconut, flat



coconut, flat: dark stain



coconut, flat: ebony stain

Flooring

$\frac{5}{8}$ " x 3" x 72" (18 ft²/box)

FL-V5872PPN-SG-NAUF Prefinished Sugar, Deco Palm

$\frac{5}{8}$ " x 3" x random from 24" to 72" (18 ft²/box)

FL-V5872PPN-NAUF Prefinished Coconut, Edge Grain

FL-V5872UPN-NAUF Unfinished Coconut, Edge Grain

FL-V5872PPD-NAUF Prefinished Coconut, Edge: Dark Stain

FL-5872PPN-NAUF Prefinished Coconut, Flat Grain

FL-5872UPN-NAUF Unfinished Coconut, Flat Grain

FL-5872PPD-NAUF Prefinished Coconut, Flat: Dark Stain

FL-5872PPE-NAUF Prefinished Coconut, Flat: Ebony Stain



Coconut Edge Grain | San Francisco, CA | photo: Dylan Maddux



Coconut Flat Grain | Aveda Day Spa
San Jose, CA

wide range of accessories
available

visit

www.durapalm.com



Coconut Flat Grain | Copper Station Properties | Ridgeland, SC | design: LS3P Associates



With hardness ratings over 3,000 psi (more than twice that of red oak), **PlybooStrand** is the hardest bamboo flooring on the market today.

PlybooStrand's trademark look and durability are created by shredding, bundling, and then pressing bamboo strips into a dense and lightly-striated material that is well-suited for commercial use, but is also popular among homeowners for its warm aesthetics.

PlybooStrand plywood is PlybooPure (no added urea-formaldehyde), Indoor Advantage Gold™ certified, and FSC Pure (100% FSC certified).

PlybooStrand flooring is PlybooPure, FloorScore® certified, and FSC Pure.



Cert.# SCS-FS-02130
As Certified by
SCIENTIFIC CERTIFICATION SYSTEMS



The mark of
responsible forestry

LEED® CREDITS

IEQc4.3: Low Emitting Materials
Flooring Systems

IEQc4.4: Low Emitting Materials
Composite Wood and
Agrifiber Products

MRC6: Rapidly Renewable Materials




- FSC Certified
- FloorScore® Certified
- Indoor Advantage Gold™ Certified
- Meets Class B fire rating (special order)
- 100% bamboo
- No added urea-formaldehyde
- Passes CA Section 01350
- Twice as hard as red oak


plywood + flooring



havana



sahara



morocco flooring

Plywood

3/4" x 48" x 72" (3-PLY)

BP-4872PD-NAUF/FSC Havana Strand

BP-4872PH-NAUF/FSC Sahara Strand

Edge Banding

4mm x 30" x 72" (1-PLY)

BP-1872PD-NAUF Havana Strand

BP-1872PH-NAUF Sahara Strand

Flooring

3/8" x 3 3/4" x 36" (22.5 ft² / box)

FL-P3836PD-NAUF/FSC Prefinished, Havana Strand

FL-P3836PH-NAUF/FSC Prefinished, Sahara Strand

FL-P3836PDB-NAUF/FSC Prefinished, Morocco Strand

9/16" x 3 3/4" x 72" (22.5 ft² / box)

FL-P5872PD-NAUF/FSC Prefinished, Havana Strand

FL-P5872PH-NAUF/FSC Prefinished, Sahara Strand

FL-P5872UD-NAUF/FSC Unfinished, Havana Strand

FL-P5872UH-NAUF/FSC Unfinished, Sahara Strand

FL-P5872PDB-NAUF/FSC Prefinished, Morocco Strand



Roberto Winds Music Store
New York, NY



Watermark Credit Union
Seattle, WA



Misura | Las Vegas, NV | design: Marshall Retail Group

wide range of
accessories available
visit

www.plyboo.com/plybostrand



NEOPOLITAN®

Neopolitan plywood provides a sophisticated aesthetic that energizes design-rich commercial environments.

Architectural, furniture grade, and extremely durable, Neopolitan plywood is PlybooPure (no added urea-formaldehyde), Indoor Advantage Gold™ certified, and FSC Pure (100% FSC certified).

Neopolitan flooring provides a unique look for design-focused commercial environments. With hardness ratings of 3,000 psi (more than twice as hard as red oak), Neopolitan flooring is the hardest bamboo on the market, offering superior resistance to dents and scratches. Neopolitan flooring is PlybooPure, FloorScore® certified, and FSC Pure.



Cert.# SCS-FS-02130
As Certified by
SCIENTIFIC CERTIFICATION SYSTEMS



The mark of
responsible forestry

LEED® CREDITS

IEQc4.3: Low Emitting Materials
Flooring Systems

IEQc4.4: Low Emitting Materials
Composite Wood and
Agrifiber Products

MRc6: Rapidly Renewable Materials



- 100% bamboo
- No added urea-formaldehyde
- Passes CA Section 01350
- Twice as hard as red oak
- FSC Certified
- FloorScore® Certified
- Indoor Advantage Gold™ Certified

plywood + flooring



neopolitan

wide range of accessories available
visit
www.plyboo.com/neopolitan

Plywood

$\frac{3}{4}$ " x 48" x 72" (3-PLY)

BP-4872NEO-NAUF/FSC Neopolitan

$\frac{1}{2}$ " x 48" x 72" (3-PLY)

BP-1248NEO-NAUF/FSC Neopolitan

Edge Banding

4mm x 30" x 72" (1-PLY)

BP-1872NEO-NAUF Neopolitan

Flooring

$\frac{3}{8}$ " x 3 $\frac{3}{4}$ " x 36" (22.5 ft² / box)

FL-P3836NEO-NAUF/FSC Prefinished, Neopolitan

$\frac{9}{16}$ " x 3 $\frac{3}{4}$ " x 72" (22.5 ft² / box)

FL-P5872UNEO-NAUF/FSC Unfinished, Neopolitan



Moss Adams Headquarters | Seattle, WA



BanQ Restaurant | Boston, MA | photo: John Horner

Made from quality select 100% bamboo strips, **PlybooSquared** end grain products give a refreshing new look to sustainable architecture and design.

Turning traditional strip patterns on their ends, the mosaic surface of PlybooSquared rings in the next generation of architectural bamboo by providing truly unique twists on bamboo for commercial and residential applications.

PlybooSquared flooring is PlybooPure (no added urea-formaldehyde) and can be FloorScore® certified. It is also FSC 100% certified, by special order.



Cert.# SCS-FS-02130
As Certified by
SCIENTIFIC CERTIFICATION SYSTEMS



The mark of
responsible forestry

LEED® CREDITS


IEQc4.3: Low Emitting Materials
Flooring Systems
(**NAUF: special order only**)
MRc6: Rapidly Renewable Materials
MRc7: Certified Wood
(**FSC: special order only**)




- 100% bamboo
- Passes CA Section 01350
- FSC Certified (special order)
- Durable, and easy to maintain

- FloorScore® Certified (special order)


flooring




amber



natural




luminous grey



foundation brown



design: Bamboo Kitchens SF



Arlequin Wine Merchant | San Francisco, CA

Flooring

$\frac{5}{8}$ " x 3 $\frac{3}{4}$ " x 37 $\frac{3}{4}$ " (23.5 ft² / box)

FL-EG5836PA Prefinished, Amber Squared

FL-EG5836PN Prefinished, Natural Squared

FL-EG5836LG Prefinished, Luminous Grey Squared

FL-EG5836FB Prefinished, Foundation Brown Squared

FL-EG5836UA Unfinished, Amber Squared

FL-EG5836UN Unfinished, Natural Squared



San Francisco, CA



San Francisco, CA | photo: Dylan Maddux

Plyboo tambour paneling is constructed of bamboo strips that are precision milled and applied to a thin fabric backing.

Tambour is a flexible material that can be applied to concave, convex, or flat surfaces, as well as ceilings, and lends an exciting look to commercial, retail, and hospitality environments.

Plyboo Bamboo Veneer is manufactured from laminated blocks of bamboo that are then sliced and sanded. It is backed with a fine fleece material to give the product stability and strength. Plyboo bamboo veneers are FSC Pure (100% FSC certified), and some veneers are also PlybooPure (made with no added formaldehyde) and Indoor Advantage Gold™ certified.



LEED® CREDITS

IEQc4.4: Low Emitting Materials
Composite Wood and
Agrifiber Products
(select veneer products only)

MRc6: Rapidly Renewable Materials
(bamboo products only)


MRc7: Certified Wood
(veneer products only)

- Precision milled
- Raw or sanded
- Retail & hospitality
- No added formaldehyde
- FSC Certified (veneer products only)
- Indoor Advantage Gold™ Certified (select veneer products only)


tambour paneling + veneer




raw amber




raw green



stained black



coconut palm



sugar palm



Berkeley, CA | design: Cheng Design

Tambour Paneling

3/16" x 48" x 96"

- TP-RA48 Unfinished, Raw Amber
- TP-RG48 Unfinished, Raw Green
- TP-RB48 Unfinished, stained Black
- TP-4896PPN Prefinished Coconut
- TP-4896PPN-SG Prefinished Sugar



Modern Bamboo | San Francisco, CA



Teance Tea Shop | Berkeley, CA
design: Cheng Design

Veneer

0.6mm x 49" x 98"

- BVN-4896VA-FSC Amber Edge Grain
- BVN-4896VN-FSC Natural Edge Grain
- BHN-4896A-FSC Amber Flat Grain
- BHN-4896N-FSC Natural Flat Grain

0.6mm x 49" x 122"

- BVN-48120VA-FSC Amber Edge Grain
- BVN-48120VN-FSC Natural Edge Grain
- BHN-48120A-FSC Amber Flat Grain
- BHN-48120N-FSC Natural Flat Grain



Wine Wave | Savannah, GA | design: Stefan Schildge
photo: Wayne C. Moore

2mm x 12" x 120"

- BVN-12120VA-NAUF/FSC Amber Edge Grain

2mm x 18" x 97"

- BVN-1897A-NAUF/FSC Amber Edge Grain
- BVN-1897N-NAUF/FSC Natural Edge Grain
- BHN-1897A-NAUF/FSC Amber Flat Grain
- BHN-1897N-NAUF/FSC Natural Flat Grain



design: Lisa Kim Design



SoyBond™
flooring and plywood



The mark of responsible forestry



Cert.# SCS-FS-02130
As Certified by
SCIENTIFIC CERTIFICATION SYSTEMS



SCIENTIFIC CERTIFICATION SYSTEMS
SCS-IAD-02139

how clean is your green



smiths&sons
plyboo®

475 - 6th Street
San Francisco, CA 94103

phone | 415. 896.0577
toll-free | 866. 835.9859
fax | 415. 896.0583
e-mail | info@plyboo.com

www.plyboo.com